Attorney Docket: 990667/RSB

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Ludwig WILDT et al.

Serial No. : 09/403,940

Filed

: January 12, 2000

For

: DEVICE FOR DETERMINING

FLUCTUATIONS IN END

EXPIRATORY GASES, METHOD FOR DETERMINING FLUCTUATIONS

IN RESPIRATORY METABOLISM AND

THE USE OF SAID DEVICE

Art Unit

: 1743

Examiner

: GAKH

AMENDMENT AND RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

ATTENTION: OFFICE OF PETITIONS

SIR:

This is a response to the Office Action of August 29, 2001 (Paper No. 6), which is a Restriction Requirement under 35 USC Please amend the application as follows:

IN THE CLAIMS:

Please add the following claim:

generating of a signal is used for prediction of ovulation .--

--29. (New) The method according to claim 18, wherein the

MAIL STOP PETITION

CERTIFICATE OF MAILING

I hereby certify this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class mail in an envelope

addressed to:

Commissioner for Patents.

P.O. Box 1450

Alexandria, VA 22313-1450 on the date noted below.

Attorney: Richard S. Barth

In the event that this Paper is late filed, and the necessary petition for extension of time is not filed concurrently herewith, please consider this as a Petition for the requisite extension of time, and to the extent not tendered by check attached hereto, authorization to charge the extension fee. or any other fee required in connection with this Paper, to Account No. 06-1378.

> RECEIVED JUN 1 0 2003

OFFICE OF PETITIONS